



| Sch | Material Code | Short Text                                   | Material Long Text   |
|-----|---------------|--|--|
| 1   | M8512221701   | POWR<br>CONTR:3P415VAC:110<br>VAC:LKEA:MO18  | POWER CONTACTOR-II:TYPE-3P 415V AC:COIL VOLTAGE-110V AC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-POWER CONTACTOR TYPE-3P 415V AC: COIL VOLTAGE-110V AC: MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-AC3/IE:18A/MO18 WITH 2NO+2NC AU X CONTACT/ADD ON BLOCK  |
| 2   | M8512221702   | POWR<br>CONTR:3P415VAC:110<br>VAC:LKEA:MO32  | POWER CONTACTOR-II:TYPE-3P 415V AC:COIL VOLTAGE-110V AC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-POWER CONTACTOR TYPE-3P 415V AC: COIL VOLTAGE-110V AC: MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-AC3/IE:32A/MO32 WITH 2NO+2NC AU X CONTACT/ADD ON BLOCK  |
| 3   | M8512221703   | POWR<br>CONTR:3P415VAC:110<br>VAC:LKEA:MO70  | POWER CONTACTOR-II:TYPE-3P 415V AC:COIL VOLTAGE-110V AC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-POWER CONTACTOR TYPE-3P 415V AC: COIL VOLTAGE-110V AC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-AC3/IE:70A/MO70 WITH 2NO+2NC AU X CONTACT/ADD ON BLOCK   |
| 4   | M8512221704   | POWR<br>CONTR:3P415VAC:110<br>VAC:LKEA:MO95  | POWER CONTACTOR-II:TYPE-3P 415V AC:COIL VOLTAGE-110V AC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-POWER CONTACTOR TYPE-3P 415V AC: COIL VOLTAGE-110V AC: MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-AC3/IE:95A/MO95 WITH 2NO+2NC AU X CONTACT/ADD ON BLOCK  |
| 5   | M8512221705   | POWR<br>CONTR:3P415VAC:110<br>VAC:LKEA:MO110 | POWER CONTACTOR-II:TYPE-3P 415V AC:COIL VOLTAGE-110V AC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-POWER CONTACTOR TYPE-3P 415V AC: COIL VOLTAGE-110V AC: MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-AC3/IE:110A/MO110 WITH 2NO+2NC AUX CONTACT/ADD ON BLOCK |
| 6   | M8512221706   | POWR<br>CONTR:3P415VAC:110<br>VAC:LKEA:MO185 | POWER CONTACTOR-II:TYPE-3P 415V AC:COIL VOLTAGE-110V AC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-POWER CONTACTOR TYPE-3P 415V AC:COIL VOLTAGE-110V AC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-AC3/IE:185A/MO185 WITH 2NO+2NC AUX CONTACT/ADD ON BLOCK   |
| 7   | M8512221707   | POWR<br>CONTR:3P415VAC:110<br>VAC:LKEA:MO225 | POWER CONTACTOR-II:TYPE-3P 415V AC:COIL VOLTAGE-110V AC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-POWER CONTACTOR TYPE-3P 415V AC:COIL VOLTAGE-110V AC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-AC3/IE:225A/MO225 WITH 2NO+2NC AUX CONTACT/ADD ON BLOCK   |



|    |             |   |  |
|----|-------------|---|--|
| 8  | M8512221708 | POWR<br>CONTR:3P415VAC:110<br>VAC:LKEA:MO250    | POWER CONTACTOR-II:TYPE-3P 415V AC:COIL VOLTAGE-110V AC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-POWER CONTACTOR TYPE-3P 415V AC:COIL VOLTAGE-110V AC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-AC3/IE:250A/MO250 WITH 2NO+2NC AUX CONTACT/ADD ON BLOCK           |
| 9  | M8512221709 | POWR<br>CONTR:3P415VAC:110<br>VAC:LKEA:MO300    | POWER CONTACTOR-II:TYPE-3P 415V AC:COIL VOLTAGE-110V AC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-POWER CONTACTOR TYPE-3P 415V AC:COIL VOLTAGE-110V AC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-AC3/IE:300A/MO300 WITH 2NO+2NC AUX CONTACT/ADD ON BLOCK           |
| 10 | M8512251710 | 3P415VAC:240/250VAC<br>:LKEA:MNX32              | POWER CONTACTOR-II:TYPE-3P 415V AC:COIL VOLTAGE-240/250 V AC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-POWER CONTACTOR TYPE-3P 415V AC:COIL VOLTAGE-240/250V AC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-AC3/IE:32A/MNX32 WITH 2NO+2NC AUX CONTACT/ADD ON BLOCK   |
| 11 | M8512251711 | 3P415VAC:240/250VAC<br>:LKEA:MNX70              | POWER CONTACTOR-II:TYPE-3P 415V AC:COIL VOLTAGE-240/250 V AC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-POWER CONTACTOR TYPE-3P 415V AC:COIL VOLTAGE-240/250V AC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-AC3/IE:70A/MNX70 WITH 2NO+2NC AUX CONTACT/ADD ON BLOCK   |
| 12 | M8512251712 | 3P415VAC:240/250VAC<br>:LKEA:MNX110             | POWER CONTACTOR-II:TYPE-3P 415V AC:COIL VOLTAGE-240/250 V AC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-POWER CONTACTOR TYPE-3P 415V AC:COIL VOLTAGE-240/250V AC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-AC3/IE:110A/MNX110 WITH 2NO+2NC AUX CONTACT/ADD ON BLOCK |
| 13 | M8512251713 | 3P415VAC:240/250VAC<br>:LKEA:MNX185             | POWER CONTACTOR-II:TYPE-3P 415V AC:COIL VOLTAGE-240/250 V AC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-POWER CONTACTOR TYPE-3P 415V AC:COIL VOLTAGE-240/250V AC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION:AMP. RATING/TYPE-AC3/IE:185A/MNX185 WITH 2NO+2NC AUX CONTACT/ADD ON BLOCK |
| 14 | M8519302003 | AUX CONT AC<br>CV:110V:4NO+4NC:MO<br>0-TA4/LKEA | AUX CONTACTOR FOR AC COIL VOLTAGE-II:VOLT-110V:CONTACTS-4NO+4NC:MAKE-MODEL-CAT-AUX CONTACTOR FOR AC COIL VOLTAGE-II:VOLT-110V:CONTACTS-4NO+4NC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION: MODEL-CAT-MO0-TA4 WITH 2NO+2NC (TA4) AUX CONTACT/ADD ON BLOCK   |
| 15 | M8519302004 | AUX CONT AC<br>CV:110V:4NO+4NC:MX<br>0-22E/LKEA | AUX CONTACTOR FOR AC COIL VOLTAGE-II:VOLT-110V:CONTACTS-4NO+4NC:MAKE-MODEL-CAT-AUX CONTACTOR FOR AC COIL VOLTAGE-II:VOLT-110V:CONTACTS-4NO+4NC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION: MODEL-CAT-MX0-22E   |



|    |             |                               |  |
|----|-------------|-------------------------------|--|
|    |             |                               | WITH 2NO+2NC (MX-A1) AUX CONTACT/ADD ON BLOCK  |
| 16 | M8519402003 | 220-250V:4NO+4NC:MO0-TA4/LKEA | AUX CONTACTOR FOR AC COIL VOLTAGE-II:VOLT-220-250V:CONTACTS-4NO+4NC:MAKE-MODEL-CAT-AUX CONTACTOR FOR AC COIL VOLTAGE-II:VOLT-110V:CONTACTS-4NO+4NC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION: MODEL-CAT-MO0-TA4 WITH 2NO+2NC (TA4) AUX CONTACT/ADD ON BLOCK   |
| 17 | M8519402004 | 220-250V:4NO+4NC:MXO-22E/LKEA | AUX CONTACTOR FOR AC COIL VOLTAGE-II:VOLT-220-250V:CONTACTS-4NO+4NC:MAKE-MODEL-CAT-AUX CONTACTOR FOR AC COIL VOLTAGE-II:VOLT-110V:CONTACTS-4NO+4NC:MAKE-LAURITZ KNUDSEN ELECTRICAL & AUTOMATION: MODEL-CAT-MXO-22E WITH 2NO+2NC (MX-A1) AUX CONTACT/ADD ON BLOCK |