

**Indian Oil Corporation  
Limited**

(Refineries Division)

P.O. : Barauni Oil Refinery



CIN - L23201MH1959GOI011388

---

Vendor Code:.....

We are pleased to forward here with a document for your reference and action.  
For any further clarifications please use following contact information:

Enquiry Number : RBRM24X082/2439120  
Document Date : 02.01.2025  
Name & Designation : Madhuri Kumari, MTO(P),  
EMAIL : kumarim4@indianoil.in  
PH : 06243-275392  
FAX :

Corporate Website: <http://www.iocl.com/>  
Corporate Tenders Site: <http://www.IndianOilTenders.com/>

---

Regd. Office: G-9, Ali Yavar Jung Marg, Bandra(E), Mumbai-51, India

**ENQUIRY CUM OFFER**

Enquiry No.:RBRM24X082/2439120

Date:02.01.2025

Enq.Due on:16.01.2025 15:00hrs IST

---

**TWO BID**

Offer Ref.....

Date.....

Dear Sir,

We shall be grateful to receive your quotation filled in the copy of this enquiry for the supply of following items.

<b>Sr.no.Item Code and Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Unit Price (to be filled) In fig&amp;words</b>
--	-------------	------------	---

**GROUP:** 1  
"PLUG, BRASS"  
SIZE

0010 7792335414	EA	500.000	.....
-----------------	----	---------	-------

PLUG, BRASS  
SIZE:M18

**ITEM TEXT**

Supply of item as per technical specification given as Annexure-1

**BREAKUP OF QUANTITY**

Barauni Refinery : 500.000EA

0020 7792330704	EA	900.000	.....
-----------------	----	---------	-------

"PLUG, BRASS"  
SIZE:M20

Signature of Vendor with Office Seal

ENQUIRY CUM OFFER

Enquiry No.:RBRM24X082/2439120

Date:02.01.2025

---

Sr.no.Item Code and Description	Unit	Qty	Unit Price (tobe filled) In fig&words
BREAKUP OF QUANTITY Barauni Refinery	:	900.000EA	
0030 7792330714 "PLUG, BRASS" SIZE:M25	EA	600.000 each	.....
BREAKUP OF QUANTITY Barauni Refinery	:	600.000EA	
0040 7792330724 "PLUG, BRASS" SIZE:M32	EA	200.000 each	.....
BREAKUP OF QUANTITY Barauni Refinery	:	200.000EA	
0050 7792330734 "PLUG, BRASS" SIZE:M40	EA	200.000 each	.....
BREAKUP OF QUANTITY Barauni Refinery	:	200.000EA	
0060 7792330744 "PLUG, BRASS" SIZE:M50	EA	150.000 each	.....

Signature of Vendor with Office Seal

ENQUIRY CUM OFFER

Enquiry No.:RBRM24X082/2439120

Date:02.01.2025

---

Sr.no.Item Code and Description	Unit	Qty	Unit Price (to be filled) In fig&words
BREAKUP OF QUANTITY Barauni Refinery	:	150.000EA	
0070 7792330754 "PLUG, BRASS" SIZE:M63	EA	80.000 each	.....
BREAKUP OF QUANTITY Barauni Refinery	:	80.000EA	
0080 7792330764 "PLUG, BRASS" SIZE:M75	EA	75.000 each	.....
BREAKUP OF QUANTITY Barauni Refinery	:	75.000EA	

Signature of Vendor with Office Seal

## ENQUIRY CUM OFFER

Enquiry No.:RBRM24X082/2439120

Date:02.01.2025

---

Important:

~~1. You are requested to fill this format in all respects and forward us Sealed cover so as to reach us on the due date. This tender will be opened at 15 Hrs. IST on the due date. Enquiry No & Due date must be SUPERSCRIBED on the envelope to avoid any outright rejection.~~

2. Please see our terms and conditions and mention deviation ,if any, seperately.

3. Confirm whether the tenderer is a relative of any Director of IOCL or the tenderer is a firm in which Director(s) of IOCL or his relative is a partner or tenderer is a company in which any Director, or his relative is a member or Director.(If desired, List of IOCL Directors can be referred in IOCL Website)(YES/NO)

(If YES, details are to be furnished.)

~~4. Vendors are required to fill up details of Terms and Conditions and Taxes in the format attached as last page.~~

5.The tenderers should respond to the tender either by submitting their bid or by explaining the reason for non-submission of the offer.In case, there is no response either way continuously for three times, names of such tenderers may be removed from the vendor list.

6.If the bidder is registered with NSIC under Ministry of Micro, Small and Medium enterprises, then, the bidder shall enclose the copy ofthe recent valid NSIC certificate without fail. The details of the sameare to be mentioned in this page.

### DOCUMENT TEXT

Supply of item as per technical specification given as Annexure-1

Yours faithfully,  
For and on behalf of

INDIAN OIL CORPORATION LTD.  
(Authorised Signatory)



Signature of Vendor with Office Seal



# FLP Stopper plug & Welding receptacle

ANNEXURE- 1

## Detailed technical specification of each item



SI no.	Material description	Technical specification	Sample photo for reference only	Vendor confirmation (Yes/No)/ Remarks
1	STOPPER PLUG, SEALING, BRASS, M18	<p>Supply of Flameproof, weatherproof, Stopper plug, thread size: 0. 5" ET</p> <ol style="list-style-type: none"><li>1. The offered plug should be of solid construction type with round head and having hexagonal groove on head side for opening and fixing up of the plug using Allen (hex) key of appropriate size.</li><li>2. The plug should have nitrile/neoprene o-ring/gasket for ensuring its use in weather proof enclosures.</li><li>3. The material of construction of plug should be brass with nickel plating.</li><li>4. The plugs should be Flame proof Ex 'd', Zone 1 and 2, Gas group IIC.</li></ol>		
2	STOPPER PLUG, SEALING, BRASS, M20	<p>Supply of Flameproof, weatherproof, Stopper plug, thread size: 0.75" ET</p> <ol style="list-style-type: none"><li>1. The offered plug should be of solid construction type with round head and having hexagonal groove on head side for opening and fixing up of the plug using Allen (hex) key of appropriate size.</li><li>2. The plug should have nitrile/neoprene o-ring/gasket for ensuring its use in weather proof enclosures.</li><li>3. The material of construction of plug should be brass with nickel plating.</li><li>4. The plugs should be Flame proof Ex 'd', Zone 1 and 2, Gas group IIC</li></ol>		



# FLP Stopper plug & Welding receptacle

ANNEXURE- 1

## Detailed technical specification of each item



SI no.	Material description	Technical specification	Sample photo for reference only	Vendor confirmation (Yes/No)/ Remarks
3	STOPPER PLUG, SEALING, BRASS, M25	Supply of Flameproof, weatherproof, Stopper plug, thread size: 1" ET 1. The offered plug should be of solid construction type with round head and having hexagonal groove on head side for opening and fixing up of the plug using Allen (hex) key of appropriate size. 2. The plug should have nitrile/neoprene o-ring/gasket for ensuring its use in weather proof enclosures. 3. The material of construction of plug should be brass with nickel plating. 4. The plugs should be Flame proof Ex 'd', Zone 1 and 2, Gas group IIC as per IS/IEC 60079-1, and approved by CCE/PESO.		
4	STOPPER PLUG, SEALING, BRASS, M32	Supply of Flameproof, weatherproof, Stopper plug, thread size: 1.25 " ET 1. The offered plug should be of solid construction type with round head and having hexagonal groove on head side for opening and fixing up of the plug using Allen (hex) key of appropriate size. 2. The plug should have nitrile/neoprene o-ring/gasket for ensuring its use in weather proof enclosures. 3. The material of construction of plug should be brass with nickel plating. 4. The plugs should be Flame proof Ex 'd', Zone 1 and 2, Gas group IIC as per IS/IEC 60079-1, and approved by CCE/PESO.		



## FLP Stopper plug & Welding receptacle

ANNEXURE- 1

### Detailed technical specification of each item

Sl no.	Material description	Technical specification	Sample photo for reference only	Vendor confirmation (Yes/No)/ Remarks
5	STOPPER PLUG, SEALING, BRASS, M40	<p>Supply of Flameproof, weatherproof, Stopper plug, thread size: 1.5 " ET</p> <ol style="list-style-type: none"><li>1. The offered plug should be of solid construction type with round head and having hexagonal groove on head side for opening and fixing up of the plug using Allen (hex) key of appropriate size.</li><li>2. The plug should have nitrile/neoprene o-ring/gasket for ensuring its use in weather proof enclosures.</li><li>3. The material of construction of plug should be brass with nickel plating.</li><li>4. The plugs should be Flame proof Ex 'd', Zone 1 and 2, Gas group IIC as per IS/IEC 60079-1, and approved by CCE/PESO.</li></ol>		
6	STOPPER PLUG, SEALING, BRASS, M50	<p>Supply of Flameproof, weatherproof, Stopper plug, thread size: 2" ET</p> <ol style="list-style-type: none"><li>1. The offered plug should be of solid construction type with round head and having hexagonal groove on head side for opening and fixing up of the plug using Allen (hex) key of appropriate size.</li><li>2. The plug should have nitrile/neoprene o-ring/gasket for ensuring its use in weather proof enclosures.</li><li>3. The material of construction of plug should be brass with nickel plating.</li><li>4. The plugs should be Flame proof Ex 'd', Zone 1 and 2, Gas group IIC as per IS/IEC 60079-1, and approved by CCE/PESO.</li></ol>		







# FLP Stopper plug & Welding receptacle

ANNEXURE- 1

## Detailed technical specification of each item

SI no.	Material description	Technical specification	Sample photo for reference only	Vendor confirmation (Yes/No)/ Remarks
7	STOPPER PLUG, SEALING, BRASS, M63	Supply of Flameproof, weatherproof, Stopper plug, thread size: 2.5 " ET 1. The offered plug should be of solid construction type with round head and having hexagonal groove on head side for opening and fixing up of the plug using Allen (hex) key of appropriate size. 2. The plug should have nitrile/neoprene o-ring/gasket for ensuring its use in weather proof enclosures. 3. The material of construction of plug should be brass with nickel plating. 4. The plugs should be Flame proof Ex 'd', Zone 1 and 2, Gas group IIC as per IS/IEC 60079-1, and approved by CCE/PESO.		
8	STOPPER PLUG, SEALING, BRASS, M75	Supply of Flameproof, weatherproof, Stopper plug, thread size: 3" ET 1. The offered plug should be of solid construction type with round head and having hexagonal groove on head side for opening and fixing up of the plug using Allen (hex) key of appropriate size. 2. The plug should have nitrile/neoprene o-ring/gasket for ensuring its use in weather proof enclosures. 3. The material of construction of plug should be brass with nickel plating. 4. The plugs should be Flame proof Ex 'd', Zone 1 and 2, Gas group IIC as per IS/IEC 60079-1, and approved by CCE/PESO.		



## FLP Stopper plug & Welding receptacle

ANNEXURE- 1

### Detailed technical specification of each item

Note to the bidder:

1. Bidder to mention make and model no. of the offered items.
2. Bidder to submit GA Drawing of the offered items.
3. Bidder to submit Test reports and PESO certificate of the offered FLP equipments, approved from CIMFR/ CCOE Nagpur, highlighting the FLP item and its serial number during bid submission. Flameproof items should confirm Ex "d" enclosure as per IS/ IEC 60079 standard and its latest revision
4. Bidder to provide GA drawing of the offered items

FORMAT-A

UNDERTAKING OF BIDDER  
(on Bidder's letterhead)

To  
Indian Oil Corporation Limited  
-----

Tender No –

I/ We have read the clause on restrictions on procurement from a bidder of a country which shares a land border with India enclosed in the subject tender ; I hereby certify that this bidder ----- ( name of bidder) is:

- a) Not from a country which shares land border with India and is eligible to be considered.
- b) If from such a country, it has been with the Competent Authority: **(Confirm Yes or No)**.
- c) If from such a country, copy of valid registration certificate from the Competent Authority is enclosed with the bid. **(Confirm Yes or No)**

I hereby certify that the bidder fulfills all requirements in this regard and is eligible to be considered.

Place:

Date

Signature

Name:

Designation

**Proforma for Deviation**

**Bidder to indicate the deviations (if any) in given format only and IOCL will not recognize any deviations/ exception(s) which is not listed in this Annexure.**

<b>S. No./ Reference Clause of Tender Document</b>	<b>Deviations (If Any)</b>	<b>Reason for deviations</b>
<b>Technical</b>		
<b>Commercial</b>		

**Bidder should note that this annexure has been included in the bidding document solely for the convenience of the bidder so as to facilitate them to list out the deviation(s)/exception(s) both of technical and commercial nature from/to the bidding document. Please note that bidders are, normally, not allowed to take deviations and any deviation listed above may make the bid liable for rejection.**

**Place:**

**Signature and Seal of the vendor**

**Date:**

**Full name:**

**Designation:**

**PROFORMA OF DECLARATION OF BLACKLISTING / HOLIDAY LISTING**

**In the case of a Proprietary Concern:**

I hereby declare that neither I, in my personal name nor in the name of my Proprietary concern, M/s \_\_\_\_\_ which is submitting the accompanying Bid/Tender nor any other concern in which I am proprietor nor any partnership firm in which I am involved as a Partner are presently on any blacklist or holiday list declared by Indian Oil Corporation Ltd. or by Ministry of Petroleum & Natural Gas (MOPNG), nor any inquiry is pending by Indian Oil Corporation Ltd. or MOPNG, in respect of any corrupt or fraudulent practice(s) against me or any other of my proprietorship concern(s) or against any partnership firm(s) in which I am or was at the relevant time involved as a partner, except as indicated below:

**(Here give particulars of blacklisting or holiday listing, and /or inquiry and in absence thereof state "NIL")**

**In the case of a Partnership Firm:**

We hereby declare that neither we, M/s \_\_\_\_\_, which is submitting the accompanying Bid/Tender, nor any partner involved in the said firm either in his individual capacity or as proprietor or partner of any other firm or concern presently, are placed on any blacklist or holiday list declared by Indian Oil Corporation Ltd. or by Ministry of Petroleum & Natural Gas (MOPNG), nor any inquiry is pending by Indian Oil Corporation Ltd. or MOPNG, in respect of corrupt or fraudulent practice(s) against us or any partner or any other concern or firm of which he is proprietor or partner, except as indicated below:

**(Here give particulars of blacklisting or holiday listing and/or inquiry and in the absence thereof state "NIL")**

**In the case of Company:**

We hereby declare that we are presently neither placed on any holiday list or blacklist declared by Indian Oil Corporation Ltd. Or by Ministry of Petroleum & Natural Gas (MOPNG), nor any inquiry is pending by Indian Oil Corporation Ltd. or MOPNG, in respect of corrupt or fraudulent practice(s), except as indicated below:

**(Here give particulars of blacklisting or holiday listing and/or inquiry and in the absence thereof state "NIL")**

**In the case of Consortium:**

We hereby declare that none of the members of the Consortium are presently placed on any holiday list or blacklist declared by Indian Oil Corporation Ltd. Or by Ministry of Petroleum & Natural Gas (MOPNG), nor any inquiry is pending by Indian Oil Corporation Ltd. or MOPNG, in respect of corrupt or fraudulent practice(s), except as indicated below:

**(Here give particulars of blacklisting or holiday listing and/or inquiry and in the absence thereof state "NIL")**

It is understood that if this declaration is found to be false in any particular, Indian Oil Corporation Ltd. shall have the right to reject my/our bid, and if the bid has resulted in a contract, the contract is liable to be terminated without prejudice to any other right or remedy (including blacklisting or holiday listing) available to Indian Oil Corporation Ltd.

**Place:**

**Signature of Bidder**

**Date:**

**Name of Signatory**

## (On Letter Head of the Bidder)

### UNDERTAKING

#### PERFORMA FOR DECLARATION ON PROCEEDINGS UNDER INSOLVENCY AND BANKRUPTCY CODE, 2016

GeM Bid No. & Date : \_\_\_\_\_

Name of Work: \_\_\_\_\_

Bidder's Name: \_\_\_\_\_

I/We, M/s. \_\_\_\_\_ declare that:

(i) I/We am/are not undergoing insolvency resolution process or liquidation or bankruptcy proceeding as on date.

(ii) I/We am/are undergoing insolvency resolution process or liquidation or bankruptcy proceeding as on date as per details mentioned below. (Attached detail with technical bid)

**Note : Strike out one of above which is not applicable.**

It is understood that if this declaration is found to be false, Indian Oil Corporation Ltd. shall have the right to reject my/ our bid, and forfeit the EMD, if the bid has resulted in a contract, the contract will be liable for termination without prejudice to any other right or remedy (including holiday listing) available to Indian Oil Corporation Ltd.

Place :

Signature of Bidder:

Date :

Name of Signatory:

## **CONTACT DETAILS OF VENDOR**

**GeM Bid No.:** \_\_\_\_\_

Vendor Address \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
City \_\_\_\_\_ PIN \_\_\_\_\_  
State \_\_\_\_\_  
Phone \_\_\_\_\_  
Fax \_\_\_\_\_

Please fill up the details below:-

<b>Designation</b>	<b>Name</b>	<b>Telephone Nos.</b>	<b>Mobile Nos.</b>	<b>e-mail IDs</b>
<b>CEO / CMD</b>				
<b>Country Manager</b>				
<b>Area Manager</b>				
<b>Marketing Manager</b>				
<b>Sales – Head</b>				
<b>Contact Person(s) for this Tender</b>				

Note:

1. The designations are indicative only. Actual designations may please be mentioned.
2. All the concerned persons in the hierarchy must appear in the above list.
3. In case of multiple phone nos. , mobile nos., e-mail IDs, the same may also please be given

Signature of the bidder

Name: \_\_\_\_\_

Designation: \_\_\_\_\_

Mobile No. : \_\_\_\_\_

GeM Bid no. :